

**Case 2977*****Arca pectunculoides* Scacchi, 1834 and *A. philippiana* Nyst, 1848  
(currently *Bathyarca pectunculoides* and *B. philippiana*; Mollusca,  
Bivalvia): proposed conservation of the specific names**

Carmen Salas

*Departamento de Biología Animal, Facultad de Ciencias, Universidad de  
Málaga, E-29071 Málaga, Spain*

Serge Gofas

*Muséum National d'Histoire Naturelle, Laboratoire de Biologie des  
Invertébrés marins et Malacologie, 55 rue Buffon, F-75005 Paris, France*

**Abstract.** The purpose of this application is to conserve the specific names of *Arca pectunculoides* Scacchi, 1834 and *A. philippiana* Nyst, 1848 for two European bivalves. Since 1978 the name *Arca grenophia* Risso, 1826 has been generally, but incorrectly, adopted as a senior synonym of *A. pectunculoides*, the type species of *Bathyarca* Kobelt, 1891; however, *A. grenophia* is conspecific with *A. philippiana*. Use of *A. grenophia* in place of *A. philippiana* would create considerable confusion and its suppression is proposed. Both *A. pectunculoides* and *A. philippiana* are widely distributed from Norway to southern Morocco, the Canary Islands, the Azores and seamounts of the North Atlantic, and the Mediterranean. Both were originally described from Pleistocene fossils.

**Keywords.** Nomenclature; taxonomy; Mollusca; Bivalvia; *Bathyarca*; *Bathyarca pectunculoides*; *B. philippiana*; *B. grenophia*.

1. Risso (1826, p. 313) described *Arca grenophia* from a shell from the 'régions coralligènes' of the surroundings of Nice in Mediterranean France. He did not illustrate the taxon. Jeffreys (1879, p. 573) used the name *Arca pectunculoides* Scacchi, 1834 as valid (see paras. 2 and 6 below) and noted: 'Risso described this species in 1826 as *A. grenophia*; but the name [grenophia] may be considered obsolete'. Kobelt (1891, p. 213) and Lamy (1907, p. 279) cited Jeffreys's (1879) comment but neither used the name *A. grenophia*; Lamy had no access to Risso's types which were donated to the Muséum National d'Histoire Naturelle, Paris only in 1927. The name *Arca grenophia* was then ignored until 1978 (para. 6 below).

2. Scacchi (1834, p. 82) described *Arca pectunculoides* from a Pleistocene fossil from Gravina di Puglia, province of Bari, southern Italy, and later (1835, p. 18, pl. 1, figs. 12a–b) figured it accurately. Some subsequent authors have cited 1833 for Scacchi's description, others have given 1834. The confusion in dating Scacchi's publications was noted by Boss (1968, p. 35), who gave 1834 as the correct date of appearance of vol. 6 of *Annali Civili del Regno delle due Sicilie*. Philippi (1844, p. 44, pl. 15, fig. 3) also gave a good description and illustration of *A. pectunculoides* in a book which became well known, and stated that he had obtained specimens from

Scacchi. This established the name in the European literature and its use was followed by several authors (see, for example, Weinkauff, 1867, p. 201; Monterosato, 1875, p. 12; Jeffreys, 1879, p. 572; Hidalgo, 1917, p. 147; Dautzenberg, 1927, p. 280; Coen, 1933, p. 96; Ockelmann, 1958, p. 41; Tebble, 1966, p. 32; Bowden & Heppell, 1966, p. 102; Nordsieck, 1969, p. 22).

3. Philippi (1844, p. 43, pl. 15, fig. 2) described and illustrated *Arca obliqua* from a Pleistocene fossil from the Lamato valley, province of Catanzaro, southern Italy. The exact date of Philippi's publication is uncertain; under Article 21c(ii) of the Code it must be taken as December 1844. *A. obliqua* Philippi was generally accepted as a valid species but authors noted that the name was preoccupied by *Arca obliqua* Portlock, 1843 (p. 429, pl. 34, fig. 6) and *A. obliqua* Reeve, 1844 (February; *Arca*, pl. 6, species 41). Nyst (1848, p. 54) renamed Philippi's species *Arca philippiana*. Locard (1899, p. 158) did not mention that the name *A. obliqua* was preoccupied nor that it had been replaced but emended it to *A. obliquata*, also preoccupied (by *A. obliquata* Wood, 1828, p. 6, pl. [2], fig. [5b] and by *A. obliquata* Zieten, 1833, p. 93, pl. 70, figs. 2a, 2b). Dautzenberg (1927, p. 281) also overlooked Nyst's name and renamed the species *A. obliquatula*. The name *A. philippiana* was cited, but not used, by Lamy (1907, p. 288) but it has become established in the literature in the last few decades (see, for example, Regeren Altena, 1962, p. 2; Nordsieck, 1969, p. 22; Piani, 1980, p. 181; Hoisaeter, 1986, p. 116; Sabelli, Giannuzzi-Savelli & Bedulli, 1990, p. 278; Smith & Heppell, 1991, p. 59; Poppe & Goto, 1993, p. 44).

4. Kobelt (1891, p. 213) established the new nominal taxon *Bathyarca*. Under *Arca pectunculoides* Scacchi, 1834, one of the originally included nominal species, Kobelt noted (in translation) 'I will establish the subgenus *Bathyarca* for this species'. *A. pectunculoides* is thus the type species of *Bathyarca* by original designation. *Bathyarca* is cosmopolitan and from geological horizons of Eocene to Recent. It has been considered as valid by Newell (1969, p. 254) and by Oliver & Allen (1980, p. 45), among others.

5. Arnaud (1978, p. 119) revised Risso's molluscan types in the Paris Muséum and designated the single valve in the Risso collection as the lectotype of *Arca grenophia*. He noted that *A. grenophia* was a senior synonym of *Arca pectunculoides* and, unlike Jeffreys a century earlier, adopted the earlier name. This has been followed, and the name *A. grenophia* adopted, by a majority of recent authors: Piani (1980, p. 181), Rolan (1989, p. 64), Sabelli, Giannuzzi-Savelli & Bedulli (1990, p. 278), Smith & Heppell (1991, p. 59), Cossignani, Cossignani, Di Nisio & Passamonti (1992, fig. 264), Oliver & Cosel (1992, p. 359), Poppe & Goto (1993, p. 44). The publications include checklists and taxonomic works which are intended to stand as references for many years. A few authors (Hoisaeer, 1986, p. 116 and Barash & Danin, 1992, p. 234) have ignored the change and continued to use the name *Bathyarca pectunculoides*.

6. A re-examination of Risso's *A. grenophia* lectotype in the Paris Muséum shows that it is conspecific with *A. philippiana* Nyst, 1848, and not with *A. pectunculoides* Scacchi, 1834, as assumed since 1879. The lectotype agrees with Risso's original figure (not published until Arnaud, 1978, pl. 12, fig. 225) so it is quite certain that the specimen is actually Risso's type. The specimen is elongate (7 mm), its hinge has seven anterior and 11 posterior teeth, and externally the shell has a radial depression in its anterior third, all enabling unambiguous identification as *A. philippiana*.

*A. pectunculoides* is smaller, has only three teeth on each side of the hinge, and is shorter and regularly convex. The use of the name *A. grenophia* in the sense defined by Rissó's type specimen would lead to considerable confusion. To remove the ambiguity of usage of *A. grenophia* as a senior synonym of *A. pectunculoides*, and to conserve the name *A. philippiana*, we propose that *A. grenophia* Rissó, 1826 be suppressed.

7. The International Commission on Zoological Nomenclature is accordingly asked:

- (1) to use its plenary powers to suppress the specific name *grenophia* Rissó, 1826, as published in the binomen *Arca grenophia*, for the purposes of the Principle of Priority but not for those of the Principle of Homonymy;
- (2) to place on the Official List of Generic Names in Zoology the name *Bathyarca* Kobelt, 1891 (gender: feminine), type species by original designation *Arca pectunculoides* Scacchi, 1834;
- (3) to place the following names on the Official List of Specific Names in Zoology:
  - (a) *pectunculoides* Scacchi, 1834, as published in the binomen *Arca pectunculoides* (specific name of the type species of *Bathyarca* Kobelt, 1891);
  - (b) *philippiana* Nyst, 1848, as published in the binomen *Arca philippiana*;
- (4) to place the following names on the Official Index of Rejected and Invalid Specific Names in Zoology:
  - (a) *grenophia* Rissó, 1826, as published in the binomen *Arca grenophia* and as suppressed in (1) above;
  - (b) *obliqua* Philippi, 1844, as published in the binomen *Arca obliqua* (a junior homonym of *Arca obliqua* Portlock, 1843 and of *A. obliqua* Reeve, 1844);
  - (c) *obliquata* Locard, 1899, as published in the binomen *Arca obliquata* (a junior objective synonym of *Arca obliqua* Philippi, 1844 and of *A. philippiana* Nyst, 1848, and a junior homonym of *Arca obliquata* Wood, 1828 and of *A. obliquata* Zieten, 1833);
  - (d) *obliquatula* Dautzenberg, 1927, as published in the binomen *Arca obliquatula* (a junior objective synonym of *Arca obliqua* Philippi, 1844 and of *A. philippiana* Nyst, 1848).

## References

- Arnaud, P. 1978. Révision des taxa malacologiques méditerranéens introduits par Antoine Rissó. *Annales du Muséum d'Histoire Naturelle de Nice*, 5: 101–150.
- Barash, A. & Danin, Z. 1992. Annotated list of Mediterranean molluscs of Israel and Sinai. Fauna Palaestina. Mollusca 1. 405 pp., 372 figs. Israel Academy of Sciences and Humanities, Jerusalem.
- Boss, K.J. 1968. The conchological papers of Arcangelo Scacchi. *The Nautilus*, 82(1): 35–36.
- Bowden, J. & Heppell, D. 1966. Revised list of British Mollusca. I. Introduction; Nuculacea — Ostreacea. *Journal of Conchology*, 26(2): 99–124.
- Coen, G. 1933. Saggio di una sylloge molluscorum Adriaticorum. *Regio Comitato Talassografico Italiano Memoria*, 192. 186 pp.
- Cossignani, T., Cossignani V., Di Nisio, A. & Passamonti, M. 1992. *Atlante delle conchiglie del Medio Adriatico*. 40 pp., 417 figs. L'Informatore Piceno, Ancona.
- Dautzenberg, P. 1927. Mollusques provenant des campagnes scientifiques du Prince Albert Ier de Monaco dans l'Océan Atlantique et dans le Golfe de Gascogne. *Résultats des Campagnes Scientifiques Accomplies sur son Yacht par Albert Ier, Prince Souverain de Monaco*, 72: 1–400.

- Hidalgo, J.G. 1917. Fauna malacológica de España, Portugal y las Baleares: moluscos testáceos marinos. *Trabajos del Museo Nacional de Ciencias Naturales, Zoológica*, 30: 1–752.
- Hoisæter, T. 1986. An annotated check-list of marine molluscs of the Norwegian coast and adjacent waters. *Sarsia*, 71(2): 73–145.
- Jeffreys, J.G. 1879. On the Mollusca procured during the 'Lightning' and 'Porcupine' expeditions, 1868–70. Part 2. *Proceedings of the Zoological Society of London*, 1879(3): 553–588.
- Kobelt, W. 1891. Die Gattung *Arca* L. In: Martini & Chemnitz *Systematisches Conchylien Cabinet* (Küster, H.C., Ed.), vol. 8, part 2, 238 pp., 49 pl. Bauer & Raspe, Nürnberg.
- Lamy, E. 1907. Révision des *Arca* vivants du Muséum d'Histoire Naturelle de Paris. *Journal de Conchyliologie*, 55: 1–111, 199–307.
- Locard, A. 1899. *Les coquilles marines au large des côtes de France*. 198 pp. Bailliére, Paris.
- Monterosato, T.A. di. 1875. Nuova rivista delle conchiglie mediterranee. *Atti della Accademia di Scienze, Lettere ed Arti di Palermo*, (2)5: 1–50.
- Newell, N.D. 1969. Superfamily Arcacea Lamarck, 1809. Pp. 250–269 in Moore, R.C. (Ed.), *Treatise on invertebrate paleontology*, part N, vol. 1, Mollusca 6, Bivalvia. Geological Society of America & University of Kansas Press, Lawrence, Kansas.
- Nordsieck, F. 1969. *Die europäischen Meeresmuscheln (Bivalvia). Vom Eismeer bis Kapverden, Mittelmeer und Schwarzes Meer*. xiii, 256 pp. Fischer, Stuttgart.
- Nyst, P.H.J. 1848. Tableau synoptique et synonymique des espèces vivantes et fossiles de la famille des Arcacées. Genre *Arca*. *Mémoires de l'Académie Royale des Sciences, des Lettres et des Beaux-Arts de Belgique*, 22. 79 pp.
- Ockelmann, W.K. 1958. The zoology of East Greenland. Marine Lamellibranchiata. *Meddelelser om Grönland*, 122(4): 1–256.
- Oliver, P.G. & Allen, J.A. 1980. The functional and adaptive morphology of the deep-sea species of Arcacea (Mollusca: Bivalvia) from the Atlantic. *Philosophical Transactions of the Royal Society of London*, 291: 45–76.
- Oliver, P.G. & Cosel, R. von. 1992. Taxonomy of tropical West African bivalves. IV. Arcidae. *Bulletin du Muséum National d'Histoire Naturelle*, (4)14(A, 2): 293–381.
- Philippi, R.A. 1844. *Emuneratione molluscorum Siciliae cum viventium tun in tellure tertiaria fossilium, quae in itinere suo observarit*, vol. 2, iv, 303 pp., pls. 13–28. Anton, Halle.
- Piani, P. 1980. Catalogo dei molluschi conchiferi viventi nel Mediterraneo. *Bollettino Malacologico*, 16(5–6): 113–224.
- Poppe, G. & Goto, Y. 1993. *European seashells*, vol. 2 (Scaphopoda, Bivalvia, Cephalopoda). 221 pp. Hemmen, Wiesbaden.
- Portlock, J.E. 1843. *Report of the geology of the County of Londonderry, and of parts of Tyrone and Fermanagh*. xxxi, 784 pp., 54 pls. Milliken, Dublin.
- Reeve, L.A. 1844. *Conchologia Iconica: or, illustrations of the shells of molluscous animals*, vol. 2. London.
- Regteren Altena, C.O. van. 1962. Notes on some Nuculacea and Arcacea from the Neogene and Lower Pleistocene of the Netherlands. *Basteria*, 26(1): 1–4.
- Risso, A. 1826. *Histoire naturelle des principales productions de l'Europe Méridionale et particulièrement de celles des environs de Nice et des Alpes Maritimes*, vol. 4, vii, 439 pp., 12 pls. Levrault, Paris.
- Rolan, E. 1989. Moluscos de la Ria de Vigo. 2. Poliplacóforos. Bivalvos. Escafópodos, Cefalópodos. *Thalassas*, anexo 2: 1–276.
- Sabelli, B., Giannuzzi-Savelli, R. & Bedulli, D. 1990. *Catalogo annotato dei molluschi marini del Mediterraneo*, vol. 1, xiv, 348 pp. Società Italiana di Malacologia, Bologna.
- Seacchi, A. 1834, 1835. Notizie intorno alle conchiglie ed a' zoofiti fossili che si trovano nelle vicinanze di Gravina in Puglia. *Annali Civili del Regno delle due Sicilie*, 6: 75–84 (1834); 7: 5–18 (1835); reprint 1836, 74 pp., 2 pl. Tipografia Fernandes, Napoli.
- Smith, S.M. & Heppell, D. 1991. Checklist of British marine Mollusca. *National Museums of Scotland Information Series*, 11: 1–114.
- Tebble, N. 1966. *British bivalve seashells*. 212 pp. British Museum (Natural History), London.

- Weinkauff, H.C. 1867. *Die Conchylien des Mittelmeeres, ihre geographische und geologisches Verbreitung*. vol. 1. xix, 307 pp. Fischer, Cassel.
- Wood, W. 1828. *Supplement to the Index Testaceologicus; or a catalogue of shells, British and foreign*. 59 pp., [480] figs. Author, London.
- Zieten, C.H. 1833. *Die Versteinerungen Wuertem Bergs ... Dr Hartmann befindlichen Petrefacten, mit Angabe der Gebirgs-Formationen, in welchen dieselben vorkommen, und der Fundorte (Les pétrifications de Würtemburg ...)*. part 12. Pp. 89–96, pls. 67–72. Stuttgart.